

# MONUMENT RECORD

Corner ID: **RICH A-19**

Quarter Section Corner


Section 30 , Township 9 North, Range 2 West, 2nd P.M.

Richland Township, Monroe County, Indiana

**MONUMENT:** A 5/8 inch diameter rebar with a cap stamped "Deckard" was set 6 inches above grade.

**GEODETIC COORDINATES:** Northing: 1435093.22 Easting: 3066100.67

**MONUMENT LOCATION SKETCH:**



**WITNESS MONUMENT TIES:**

I.D.	Bearing	Distance	Witness Description
1	S 89°40'13" W	11.22'	Rebar-Lite Set 2 inches below grade
2	S 31°45'59" E	9.02'	Rebar-Lite Set 2 inches below grade
3	N 68°35'22" E	9.82'	Rebar-Lite Set 2 inches below grade


**MONUMENT PRESERVATION:** A t-post with a "Survey Marker Nearby" sign was placed on the East side of the monument.

**OTHER EVIDENCE:** This monument is situated +/- 0.5 feet East of a wire fence running North and South.

**PHOTO IDENTIFIED:**

Looking Down

Photo Date: 3/28/2024



## MONUMENT RECORD

Corner ID: **RICH A-19**

Quarter Section Corner

Section 30 , Township 9 North, Range 2 West, 2nd P.M.

Richland Township, Monroe County, Indiana



**EXISTING SURVEY HISTORY:** The West quarter corners of Sections along the West tier of Townships were not set in the Original Government Surveys. No surveys were found making reference to this corner having been set prior to this survey.

**PREVIOUS CERTIFICATION:** None

**THEORY OF LOCATION/CORNER ANALYSIS:** Having found no prior reference to this corner, this corner was calculated and set equidistant between RICH A-17 and RICH A-21 and on-line between the stones found marking the Northeast corner and the East quarter of Section 25, Township 9 North, Range 3 West.

### FIELD PERSONNEL:

Field Date: 3/28/24

By: CD & OL

Project #: 24-35

Notes: Field notes on file at M.C.S.O.

**BASIS OF GEODETIC COORDINATES:** Coordinates shown hereon were obtained from GPS observations utilizing the Indiana Real-Time Network (INCORS). Indiana West Zone, NAD83, State Plane Grid Coordinates, US Survey Feet. Geoid model ContinentalUS\_NGS2018. Coordinate data was collected using a Carlson BRX7 GPS and an Carlson RT4 Data Collector. Coordinate positions are grid north (Indiana State Plane West Zone).


### UNCERTAINTIES IN THE CORNER LOCATION DUE TO:

- Variances in the Monuments: None
- Discrepancies in the Documents: None
- Inconsistencies in the lines of Occupation: None
- Theoretical Uncertainty (Random Errors in Measurement): The relative positional accuracy of this survey is within that allowable for a Rural class survey (0.26' plus 200 PPM) as defined I.A.C. Title 865

### PHOTO IDENTIFIED:

Photo Date: 3/28/2024





# MONUMENT RECORD


Corner ID: **RICH A-19**

Quarter Section Corner

Section 30 , Township 9 North, Range 2 West, 2nd P.M.

Richland Township, Monroe County, Indiana

Looking East



## CERTIFICATION:

Professional Surveyor Name: Eric L. Deckard


Indiana Professional Surveyor No. LS 29900012


Firm Name: Deckard Land Surveying, LLC

Date: 4/11/24

Signature:

Seal:





# MONUMENT RECORD

Corner ID: **RICH A-19**

Quarter Section Corner

Section 30 , Township 9 North, Range 2 West, 2nd P.M.

Richland Township, Monroe County, Indiana

## OFFICE USE ONLY

### NOTICE TO PROCEED AND MONUMENT RECORD FORM ISSUED TO:

Offeror Name: **Eric L. Deckard** Firm Name: **Deckard Land Surveying**  
Phone: **812-961-0235** Email: **ericdeckard1@msn.com**  
Corner Classification: **Perpetuated** Corner Coordinate Status: **Survey Grade**  
Issue Date: **2/21/2024** Form Due Date: **4/21/2024** Form Receipt Date: **6/20/2024**

### COUNTY SURVEYOR APPROVAL:

Yes, ☒

Signature:

Date: **9/17/2024**

Seal:



No,

Reasons for Denial:

### MONROE COUNTY SURVEYOR REVIEW BOARD APPROVAL:

Yes, ☒

Signature:

Date: **9/17/2024**

Seal:



Recorded Instrument Number of Associated Perpetuation Survey: 2024010113